

## **Cumming Aquatic Center Instructional Pool Re-Plaster Invitation for Bids**

### Pool Specifications

- Approximately 130,000 gallons
- 4 x 25 yard lane pool with adjacent therapy area with ramp and three benches. Depths range from 3 feet to 7 feet.
- Approximately 6000 square feet of plastered area

### Bid Requirements

- Sound test entire pool for delaminated plaster
- Repair any delaminated/worn plaster
- Saw cut out any cracks in the pool and apply an epoxy material (preservation of racing lanes, targets, transitions, and trim tile)
- Scarify the pool surface and prep for adhesive
- Apply pre-coating system to ensure a bond between old and new plaster
- Saw cut under and around gutter, main drains, returns, skimmers, etc.
- Apply plaster (minimum 3/8" thick) and trowel to a smooth finish
- Vendor will provide written instructions regarding proper pool chemistry and maintenance to ensure proper curing of plaster
- Vendor should include any warranty info in the quote
- Replace main drains as follows: Two 18"x18" domed grates and two 18"x36" flat grates
- Lane line tile does not need to be replaced
- Vendor must be able to schedule work from beginning March 29<sup>th</sup> to April 7<sup>th</sup>, 2019.

The Cumming Aquatic Center staff will:

- Drain the pool prior to vendor's arrival
- Fill the pool immediately following the plaster being finished
- Brush the pool for 2-3 weeks following work to ensure proper curing of new plaster

### Contact Info

To schedule an appointment or for more information, please contact:

Carla Wilson, Aquatics Director

Cumming Aquatic Center

201 Aquatic Circle, Cumming, GA 30040

Email: [cwilson@cityofcumming.net](mailto:cwilson@cityofcumming.net)

Phone: 770-781-1781 (office) / 404-597-0250 (cell)

### Bid Submittal

Bids must be received no later than 10:00am on Monday, February 11<sup>th</sup>, 2019. Bids should be submitted to:

City of Cumming City Hall

Second Floor Information Desk

100 Main Street

Cumming, GA 30040